

AH Broad Spectrum 600 Tincture

Batch Specific Information

Product Name "20mg/ml Active Cannabinoid" Herbal Supplement
Product Description Sublingual tincture, 2% active cannabinoids hemp extract infused in a mixture of hemp seed oil, MCT, and terpene blend
Lot Number 21T7153
Expiration Date MAY 2023
Date of Production (Batch Date) JUNE 2021
Batch Size: 1000 units **Quantity Produced:** 1144 units

Raw Ingredients

Ingredient	Manufacturer	Lot Number
HEMP SEED OIL	ANANDA FOOD	AF120919
MCT OIL	KRAFT CHEMICALS	BTB1907089
Ananda Extract (hemp extract)	Ecofibre Industries Operations	CBD2003-02
BETA-MYRCENE	SIGMA ALDRICH	SHBL3032
BETA-CARYOPHYLLENE	SIGMA ALDRICH	MKCH9718
LINALOOL	SIGMA ALDRICH	SHBL2222
ALPHA-PINENE	SIGMA ALDRICH	SHBL6251
CITRAL	SIGMA ALDRICH	MKCJ7159
D-LIMONENE	SIGMA ALDRICH	SHBL4504
EUCALYPTOL	SIGMA ALDRICH	MKCJ4845

Manufactured By:

Ananda Health
PO Box 399
GEORGETOWN, KY 40324
888-388-1119

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

June 16, 2021

PO BOX 399
 Georgetown, KY - 40324

Order No. 524242
 Sample No. 1085194

SAMPLE INFORMATION

Description AH 600 BROAD SPEC
 Lot Number 21T7153
 PO# 399
 Category Non-Inhalable Topical
 Received June 04, 2021

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
 Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
 Method MF12D012
 Analysis Date June 04, 2021 to June 16, 2021

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	ND	ND	ND
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	22.00	2.200	20.57
CBDA	ND	ND	ND
CBC	ND	ND	ND
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	0.24	0.025	0.23
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	ND	ND	ND
Total CBD	22.00	2.200	20.57
Total Cannabinoids	22.25	2.225	20.80
Total Active Cannabinoids	22.25	2.225	20.80
g/ml Conversion Factor	0.935		

✓ADT
 6/17/21

Comments Delta-9 THC was confirmed ND at the listed Limit of Detection using LC-MS/MS

Reported by
Anresco, Inc.



Derek Moy
 Senior Analyst

June 16, 2021

Limit of Detection: 0.067 mg/g
 Limit of Quantitation: 0.2 mg/g
 ND = None Detected
 <LOQ = Below Limit of Quantitation
 <LOD = Below Limit of Detection

If there are any questions with this report, please contact "compliance@anresco.com".

June 08, 2021

ANANDA HEMP

PO BOX 399
 Georgetown, KY - 40324

Order No. 524242
 Sample No. 1085194

SAMPLE INFORMATION

Description AH 600 BROAD SPEC
Lot Number 21T7153
PO# 399
Category Non-Inhalable Topical
Received June 04, 2021

ANALYTICAL RESULTS

Analysis Heavy Metals ✔ Pass
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF 24E020
Analysis Date June 04, 2021 to June 08, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

✓ ADT
 6/17/21

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
 Senior Chemist

June 08, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

June 08, 2021

ANANDA HEMP

PO BOX 399

Georgetown, KY - 40324

Order No. 524242
Sample No. 1085194

SAMPLE INFORMATION

Description AH 600 BROAD SPEC
Lot Number 21T7153
PO# 399
Category Non-Inhalable Topical
Received June 04, 2021

ANALYTICAL RESULTS

Analysis Micro Screen - Ananda Hemp
Analysis Date June 04, 2021 to June 08, 2021

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	AOAC 2014.05
Mold	<10	cfu/g	AOAC 2014.05
Coliforms	<10	cfu/g	FDA BAM - ECC Agar
E. coli	<10	cfu/g	FDA BAM - ECC Agar
Enterobacteriaceae	<10	cfu/g	AOAC 2003.01
Salmonella	Negative	/1g	AOAC 2016.01

Reported by
Anresco, Inc.



Allen Zhu
Analyst

June 08, 2021

ASJ
6/17/21

If there are any questions with this report, please contact "compliance@anresco.com".

June 08, 2021

ANANDA HEMP


PO BOX 399
 Georgetown, KY - 40324

Order No. 524242
 Sample No. 1085194

SAMPLE INFORMATION

Description AH 600 BROAD SPEC
Lot Number 21T7153
PO# 399
Category Non-Inhalable Topical
Received June 04, 2021

ANALYTICAL RESULTS

Analysis Pesticides Screen  **Pass**
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date June 04, 2021 to June 08, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.20/0.06	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etiozazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass

✓
 6/17/21

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

✓ 927
6/17/21

Reported by
Anresco, Inc.

ND = None Detected





Blenda Cong
 Analyst II

June 08, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

ANALYTICAL RESULTS

Analysis Mycotoxins Screen  **Pass**

Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Method MF 21P030

Analysis Date June 04, 2021 to June 08, 2021

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Handwritten: All
6/17/21

Reported by
Anresco, Inc.

ND = None Detected

Signature


Blenda Cong
Analyst II

June 08, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

June 08, 2021

ANANDA HEMP


PO BOX 399
 Georgetown, KY - 40324

Order No. 524242
 Sample No. 1085194

SAMPLE INFORMATION

Description AH 600 BROAD SPEC
Lot Number 21T7153
PO# 399
Category Non-Inhalable Topical
Received June 04, 2021

ANALYTICAL RESULTS

Analysis Residual Solvent Screen  **Pass**
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date June 04, 2021 to June 08, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.1/1	ND 	1	Pass

Reported by
Anresco, Inc.

ND = None Detected




Jordean Vargas
 Analyst

June 08, 2021

If there are any questions with this report, please contact "compliance@anresco.com".