

Central Point, OR, 97502, US

Certificate of Analysis

Kaycha Labs

Sample Type: Ingestible

Sample:CE11116001-002

Harvest/Lot ID: N/A Batch#: RDCC-217047 Metrc Source Package #: N/A

> Metrc #: N/A Batch Date: N/A

Sample Size Received: 30 ml Total Weight/Volume: N/A

Retail Product Size: N/A gram **Ordered**: 11/16/21

sampled: 11/16/21

Completed: 11/23/21 Expires: 11/23/22 Sampling Method: SOP-024

Page 1 of 2

Nov 23, 2021 | Indomira/Green Earth Medicinals

License # R&D 2305 Ashland St, Ste C360 Ashland, OR, 97520, US

PRODUCT IMAGE

SAFETY RESULTS

























Heavy Metals Microbials

Residuals Solvents

OINDOMIRA

NOT TESTED

Water Activity

Moisture

CANNABINOID RESULTS



Total THC



Total CBD 2.064%



Total Cannabinoids 2.199%

	CBDV	CBDVA	CBG	CBD	CBDA	THCV	CBGA	CBN	D9-THC	D8-THC	THCVA	CBC	THCA	CBCA
%	<loq< th=""><th><loq< th=""><th><loq< th=""><th>2.007</th><th>0.065</th><th><loq< th=""><th></th><th></th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th>2.007</th><th>0.065</th><th><loq< th=""><th></th><th></th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th>2.007</th><th>0.065</th><th><loq< th=""><th></th><th></th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	2.007	0.065	<loq< th=""><th></th><th></th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>			<loq< th=""><th><loq< th=""><th><loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th>0.127</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<>	0.127	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
mg/g	<loq< th=""><th><loq< th=""><th><l0q< th=""><th>20.07</th><th>0.65</th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></l0q<></th></loq<></th></loq<>	<loq< th=""><th><l0q< th=""><th>20.07</th><th>0.65</th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></l0q<></th></loq<>	<l0q< th=""><th>20.07</th><th>0.65</th><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></l0q<>	20.07	0.65	<loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th>1.27</th><th><loq< th=""><th><loq< th=""></loq<></th></loq<></th></loq<>	1.27	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
LOQ	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Cannabinoid Profile Test

Analyzed by Weight Extraction date: Extracted By:

Batch Date: 11/16/21 15:26:13 Analysis Method -SOP.T.40.020, SOP.T.30.050 Reviewed On - 11/17/21 15:04:23 Analytical Batch -CE000543POT Instrument Used: HPLC 2030 EID 0055 Running On:

Dilution

"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100), For Cannabinoid analysis, only delta 9-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Instrument LOQ for all cannabinoids is 0.5 mg/mL, LOQ 'in matrix' is dependent on extraction parameters. FD = Field

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control OC parameter, NC=No-controlled Op parameter, NC=No-Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion, Limit of Detection (LoD) and Limit of Ountitation (LoO) are terms used to describe the smallest concentration that can be reliably an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

Anthony Smith

Lab Director

State License # 010-10166277B9D ISO Accreditation # 99861

Signature

11/23/21


Signed On



Kaycha Labs

RDCC-217047

N/A





POTENCY BATCH QC REPORT

Page 2 of 2



METHOD BLANK

Cannabinoid	LOQ	Result	Units
CBDV_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBDVA_WET	0.05	<loq< td=""><td>%</td></loq<>	%
THCV_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBD_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBG_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBDA_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBN_WET	0,05	<loq< td=""><td>%</td></loq<>	%
CBGA_WET	0.05	<loq< td=""><td>%</td></loq<>	%
THCVA_WET	0.05	<loq< td=""><td>%</td></loq<>	%
D9-THC_WET	0.05	<loq< td=""><td>%</td></loq<>	%
D8-THC_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBC_WET	0.05	<loq< td=""><td>%</td></loq<>	%
THCA_WET	0.05	<loq< td=""><td>%</td></loq<>	%
CBC-A WET	0.05	<loq< td=""><td>%</td></loq<>	%
TOTAL CANNABINOIDS	0.05	<loq< td=""><td>%</td></loq<>	%
TOTAL CBD	0.05	<loq< td=""><td>%</td></loq<>	%
TOTAL THC	0.05	<loq< td=""><td>%</td></loq<>	%
CBDV	0.05	<l00< td=""><td>%</td></l00<>	%
CBDVA	0.05	<loq< td=""><td>%</td></loq<>	%
CBG	0.05	<loq< td=""><td>%</td></loq<>	%
CBD	0.05	<loq< td=""><td>%</td></loq<>	%
CBDA	0.05	<loq< td=""><td>%</td></loq<>	%
THCV	0.05	<l00< td=""><td>%</td></l00<>	%
CBGA	0.05	<loq< td=""><td>%</td></loq<>	%
CBN	0.05	<loq< td=""><td>%</td></loq<>	%
D9-THC	0.05	<loo< td=""><td>%</td></loo<>	%
D8-THC	0.05	<loo< td=""><td>%</td></loo<>	%
THCVA	0.05	<loq< td=""><td>%</td></loq<>	%
CBC	0,05	<l00< td=""><td>%</td></l00<>	%
THCA	0.05	<loq< td=""><td>%</td></loq<>	%
CBCA	0.05	<loq< td=""><td>%</td></loq<>	%

Analytical Batch - CE000543POT Instrument Used : HPLC 2030 EID 0055



LCS

Cannabinoid	LO	Q	Recovery	Units	Recovery Limits
CBG_WET	0.05		95.9	%	70-130
CBD_WET	0.05		96.5	%	70-130
CBDA_WET	0.05		95.5	%	70-130
THCV_WET	0.05		92.3	%	70-130
CBGA_WET	0.05		91.7	%	70-130
CBN_WET	0.05		99.1	%	70-130
D9-THC_WET	0.05		95.3	%	70-130
CBC_WET	0.05		96	%	70-130
THCA_WET	0,05		94.7	%	70-130
CBC-A_WET	0.05		103.9	%	70-130

Analytical Batch - CE000543POT

Instrument Used: HPLC 2030 EID 0055

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly walved otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The 'Decision Rule' for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

Anthony Smith

Lab Director

State License # 010-10166277B9D ISO Accreditation # 99861 Artony Smit

Signature

11/23/21

Signed On

KML Laboratories, Inc.



261 Great Northern Road Bonners Ferry, Idaho 83805 Phone: 208-267-0818 Fax: 208-267-0878

Email: Info@kmlmicro.com

Certificate of Analysis

Green Earth Medicinals 2305 Ashland St, Suite C360 Ashland, OR 97520

Phone: 888-620-1110

Invoice Number: 21.1436 PO Number: 11/10/2021 Received Date: 11/15/2021 Number of Samples: 01

Project Name: Routine Testing

Microbiology Report:

Lab #: 21-11973	Sample Lot: RDCC-217047	Sample Date: 11/10/2021
Sample Name: CBD Oral Sublingual Drops Cinnamon	Additional ID:	Plated Date: 11/15/2021
Qualifying Material Number: No OM		

Test Performed	Results	Units	Detection Limit	Method	Date Analyzed
Aerobic Plate Count	nd	cfu/ml	10	USP 43-NF 38 <2021>	11/18/2021
Coliforms	nd	cfu/ml	10	Bam C4 sec G	11/16/2021
E. coli	absent	P/A	1	USP 43-NF 38 <2022>	11/18/2021
Staph aureus	absent	P/A	1	USP 43-NF 38 <2022>	11/18/2021
Yeast	nd	cfu/ml	10	USP 43-NF 38 <2021>	11/20/2021
Mold	nd	cfu/ml	10	USP 43-NF 38 <2021>	11/20/2021
Salmonella	absent	P/A	1	USP 43-NF 38 <2022>	11/19/2021
Pseudo. aeruginosa	absent	P/A	1	USP 43-NF 38 <m62></m62>	11/18/2021

300 Noring Companies with Approved By: QA Director SMV 11/22/2021



Malter

Page 1 of 2

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc. This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

Note: On this date, this material met the specifications designated above, and is not known if statistically representative of the lot evaluated on a routine basis. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit





KML Laboratories, Inc.



261 Great Northern Road Bonners Ferry, Idaho 83805 Phone: 208-267-0818 Fax: 208-267-0878

Email: Info@kmlmicro.com

Certificate of Analysis

Green Earth Medicinals 2305 Ashland St, Suite C360 Ashland, OR 97520

Phone: 888-620-1110

Invoice Number: 21.1436 PO Number: 11/10/2021 Received Date: 11/15/2021 Number of Samples: 01

Project Name: Routine Testing

Microbiology Report:

Lab #: Control 11152021	Additional ID: Negative Control Purposes	Plated Date: 11/15/2021
Sample Name: Control 11152021		
Qualifying Material Number: QM-06-001		Øt

Test Performed	Results	Units	Detection Limit	Method	Date Analyzed
Aerobic Plate Count	nd	cfu/ml	10	USP 43-NF 38 <2021>	11/18/2021
Coliforms	nd	cfu/ml	10	Bam C4 sec G	11/16/2021
E. coli	absent	P/A	1	USP 43-NF 38 <2022>	11/18/2021
Staph aureus	absent	P/A	1	USP 43-NF 38 <2022>	11/18/2021
Yeast	nd	cfu/ml	10	USP 43-NF 38 <2021>	11/20/2021
Mold	nd	cfu/ml	10	USP 43-NF 38 <2021>	11/20/2021
Salmonella	absent	P/A	1	USP 43-NF 38 <2022>	11/19/2021
Pseudo. aeruginosa	absent	P/A	1	USP 43-NF 38 <m62></m62>	11/18/2021

300 Wering Companies with 200 Approved By: QA Director SMV 11/22/202



Malter

Page 2 of 2

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc. This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

Note: On this date, this material met the specifications designated above, and is not known if statistically representative of the lot evaluated on a routine basis. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit



