

BLISS INTIMATE OIL

Batch Specific Information

| | | |
|--|-----------------------------------|--------------------------------------|
| Product Name | Bliss Intimate Oil | |
| Product Description | 250mg active cannabinoids in 60mL | |
| Lot Number | 21AHSS125 | |
| Expiration Date | 04/2023 | |
| Date of Production (Batch Date) | 05/2021 | |
| Batch Size: | 360kg | Quantity Produced: 6075 units |

Raw Ingredients

| Ingredient | Manufacturer | Lot Number |
|----------------------------|-----------------------|----------------------|
| ALMOND OIL | INTEGRITY INGREDIENTS | 691C2310 |
| SHEA OIL | AAK | 0002211784 |
| COCONUT OIL | INTEGRITY INGREDIENTS | 6517 6845 |
| COCOA SEED BUTTER | INTEGRITY INGREDIENTS | 735919 |
| FULL SPECTRUM HEMP EXTRACT | ECOFIBRE | CKS-LEX18-16 |
| PEPPERMINT OIL | INTEGRITY INGREDIENTS | FL2990 |
| TOCOPHEROL | BASF | 0022963929 |
| BLACK PEPPER OIL | ESSENTIAL WHOLESale | 214I9285PW0101029OFX |
| FRAGRANCE | ORCHIDIA | 0245104 |

Third Party Testing Results

| Test | Method | Laboratory | Result |
|--------------------------------|---|----------------------|----------|
| Cannabinoid Profile (Attached) | MF12D012; Instrument: Liquid Chromatography Diode Array Detector (LC-DAD) | Anresco Laboratories | Accepted |
| Residual Solvent Screen | USP OVI<467>; Instrument: Gas Chromatography Mass Spectrometry (GC/MS) | Anresco Laboratories | Accepted |
| Pesticide Residue Screen | MF21P030; Instrument: Liquid Chromograph Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS) | Anresco Laboratories | Accepted |
| Heavy Metal Screen | MF 24E020; Instrument: ICP-MS | Anresco Laboratories | Accepted |
| Microbiological Screen | AOAC 2016.01/FDA BAM/FDA BAM-ECC Agar | Anresco Laboratories | Accepted |

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by Ananda Health, Inc.
PO Box 399 Georgetown, KY 40324

May 12, 2021

ANANDA HEMP

PO BOX 399

Georgetown, KY - 40324

Order No. 523360
 Sample No. 1082534

SAMPLE INFORMATION

Description BLISS INTIMATE OIL 250 IN 60
Lot Number 21AHSS125
PO# 399
Category (Type) Non-Inhalable Topical (Oil)
Received May 10, 2021

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF12D012
Analysis Date May 10, 2021 to May 12, 2021

| Cannabinoid | mg/g | % | mg/ml |
|-------------------------------|-------|-------|-------|
| Δ8-THC | ND | ND | ND |
| Δ9-THC | ND | ND | ND |
| Δ9-THCA | ND | ND | ND |
| THCV | ND | ND | ND |
| THCVA | ND | ND | ND |
| CBD | 4.85 | 0.485 | 4.45 |
| CBDA | ND | ND | ND |
| CBC | <LOQ | <LOQ | <LOQ |
| CBCA | ND | ND | ND |
| CBDV | ND | ND | ND |
| CBG | ND | ND | ND |
| CBGA | ND | ND | ND |
| CBN | ND | ND | ND |
| Total THC | ND | ND | ND |
| Total CBD | 4.85 | 0.485 | 4.45 |
| Total Cannabinoids | 4.85 | 0.485 | 4.45 |
| Total Active Cannabinoids | 4.85 | 0.485 | 4.45 |
| g/ml Conversion Factor | 0.917 | | |

AST 6/9/21

Reported by
Anresco, Inc.




Eric Tam
 Senior Chemist

May 12, 2021

Limit of Detection: 0.13 mg/g
 Limit of Quantitation: 0.4 mg/g
 ND = None Detected
 <LOQ = Below Limit of Quantitation
 <LOD = Below Limit of Detection

If there are any questions with this report, please contact "compliance@anresco.com".

May 11, 2021

ANANDA HEMP

PO BOX 399


Georgetown, KY - 40324

Order No. 523360
Sample No. 1082534

SAMPLE INFORMATION

Description BLISS INTIMATE OIL 250 IN 60
Lot Number 21AHSS125
PO# 399
Category (Type) Non-Inhalable Topical (Oil)
Received May 10, 2021

ANALYTICAL RESULTS

Analysis Heavy Metals  **Pass**
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF 24E020
Analysis Date May 10, 2021 to May 11, 2021

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05 | ND | 1.5 | Pass |
| Cadmium | 0.02/0.05 | ND | 0.5 | Pass |
| Mercury | 0.02/0.05 | ND | 3 | Pass |
| Lead | 0.02/0.05 | ND | 0.5 | Pass |

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
Senior Chemist

May 11, 2021

✓AST
6/9/21

If there are any questions with this report, please contact "compliance@anresco.com".

May 12, 2021

ANANDA HEMP

PO BOX 399
Georgetown, KY - 40324

Order No. 523360
Sample No. 1082534

SAMPLE INFORMATION

Description BLISS INTIMATE OIL 250 IN 60
Lot Number 21AHSS125
PO# 399
Category (Type) Non-Inhalable Topical (Oil)
Received May 10, 2021

ANALYTICAL RESULTS

Analysis Micro Screen - Ananda Hemp
Analysis Date May 10, 2021 to May 12, 2021

| Analyte | Findings | Units | Method |
|----------------------|----------|-------|--------------------|
| Standard Plate Count | <10 | cfu/g | FDA BAM |
| Yeast | <10 | cfu/g | AOAC 2014.05 |
| Mold | <10 | cfu/g | AOAC 2014.05 |
| Coliforms | <10 | cfu/g | FDA BAM - ECC Agar |
| E. coli | <10 | cfu/g | FDA BAM - ECC Agar |
| Enterobacteriaceae | <10 | cfu/g | CMMEF |
| Salmonella | Negative | /1g | AOAC 2016.01 |

✓ 457
6/9/21

Reported by
Anresco, Inc.



Allen Zhu
Analyst

May 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

May 12, 2021

ANANDA HEMP


PO BOX 399
 Georgetown, KY - 40324

Order No. 523360
 Sample No. 1082534

SAMPLE INFORMATION

Description BLISS INTIMATE OIL 250 IN 60
Lot Number 21AHSS125
PO# 399
Category (Type) Non-Inhalable Topical (Oil)
Received May 10, 2021

ANALYTICAL RESULTS

Analysis Pesticides Screen  **Pass**
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date May 10, 2021 to May 12, 2021

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------------------|----------------|-----------------|--------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.02/0.06 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.02/0.06 | ND | 5.0 | Pass |
| Aldicarb | 0.02/0.06 | ND | 0.02 | Pass |
| Azoxystrobin | 0.02/0.06 | ND | 40.0 | Pass |
| Bifenazate | 0.02/0.06 | ND | 5.0 | Pass |
| Bifenthrin | 0.04/0.10 | ND | 0.5 | Pass |
| Boscalid | 0.02/0.06 | ND | 10.0 | Pass |
| Captan | 0.20/0.06 | ND | 5.0 | Pass |
| Carbaryl | 0.02/0.06 | ND | 0.5 | Pass |
| Carbofuran | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorantraniliprole | 0.02/0.06 | ND | 40.0 | Pass |
| Chlordane | 0.02/0.06 | ND | 0.02 | Pass |
| Chlorfenapyr | 0.02/0.08 | ND | 0.02 | Pass |
| Chlorpyrifos | 0.02/0.06 | ND | 0.02 | Pass |
| Clofentezine | 0.02/0.06 | ND | 0.5 | Pass |
| Coumaphos | 0.02/0.06 | ND | 0.02 | Pass |
| Cyfluthrin | 0.10/0.30 | ND | 1.0 | Pass |
| Cypermethrin | 0.10/0.30 | ND | 1.0 | Pass |
| Daminozide | 0.02/0.06 | ND | 0.02 | Pass |
| DDVP (Dichlorvos) | 0.02/0.06 | ND | 0.02 | Pass |
| Diazinon | 0.02/0.06 | ND | 0.2 | Pass |
| Dimethoate | 0.02/0.06 | ND | 0.02 | Pass |
| Dimethomorph | 0.02/0.06 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.02/0.06 | ND | 0.02 | Pass |
| Etofenprox | 0.02/0.06 | ND | 0.02 | Pass |
| Etoxazole | 0.02/0.06 | ND | 1.5 | Pass |
| Fenhexamid | 0.02/0.06 | ND | 10.0 | Pass |
| Fenoxycarb | 0.02/0.06 | ND | 0.02 | Pass |
| Fenpyroximate | 0.02/0.06 | ND | 2.0 | Pass |
| Fipronil | 0.02/0.06 | ND | 0.02 | Pass |

✓ADT
 6/9/21

If there are any questions with this report, please contact "compliance@anresco.com".

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Flonicamid | 0.02/0.06 | ND | 2.0 | Pass |
| Fludioxanil | 0.02/0.06 | ND | 30.0 | Pass |
| Hexythiazox | 0.02/0.06 | ND | 2.0 | Pass |
| Imazalil | 0.02/0.06 | ND | 0.02 | Pass |
| Imidacloprid | 0.02/0.06 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.02/0.06 | ND | 1.0 | Pass |
| Malathion | 0.02/0.06 | ND | 5.0 | Pass |
| Metalaxyl | 0.02/0.06 | ND | 15.0 | Pass |
| Methiocarb | 0.02/0.06 | ND | 0.02 | Pass |
| Methomyl | 0.02/0.06 | ND | 0.1 | Pass |
| Methyl parathion | 0.02/0.06 | ND | 0.02 | Pass |
| Mevinphos | 0.02/0.06 | ND | 0.02 | Pass |
| Myclobutanil | 0.02/0.06 | ND | 9.0 | Pass |
| Naled | 0.02/0.06 | ND | 0.5 | Pass |
| Oxamyl | 0.02/0.06 | ND | 0.2 | Pass |
| Paclobutrazol | 0.02/0.06 | ND | 0.02 | Pass |
| Pentachloronitrobenzene | 0.04/0.10 | ND | 0.2 | Pass |
| Permethrins | 0.10/0.30 | ND | 20.0 | Pass |
| Phosmet | 0.02/0.06 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.02/0.06 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.02/0.06 | ND | 20.0 | Pass |
| Propoxur | 0.02/0.06 | ND | 0.02 | Pass |
| Pyrethrins | 0.10/0.30 | ND | 1.0 | Pass |
| Pyridaben | 0.02/0.06 | ND | 3.0 | Pass |
| Spinetoram | 0.02/0.06 | ND | 3.0 | Pass |
| Spinosad | 0.02/0.06 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.02/0.06 | ND | 13.0 | Pass |
| Spiroxamine | 0.02/0.06 | ND | 0.02 | Pass |
| Tebuconazole | 0.02/0.06 | ND | 2.0 | Pass |
| Thiacloprid | 0.02/0.06 | ND | 0.02 | Pass |
| Thiamethoxam | 0.02/0.06 | ND | 4.5 | Pass |
| Trifloxystrobin | 0.02/0.06 | ND | 30.0 | Pass |

✓ADT
6/9/21

ND = None Detected

Reported by
Anresco, Inc.



Eric Tam
 Senior Chemist

May 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

ANALYTICAL RESULTS

Analysis Mycotoxins Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date May 10, 2021 to May 12, 2021

| Analyte | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1 | 2/5 | ND | - | - |
| Aflatoxin B2 | 2/5 | ND | - | - |
| Aflatoxin G1 | 2/5 | ND | - | - |
| Aflatoxin G2 | 2/5 | ND | - | - |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 6/18 | ND | 20 | Pass |

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

May 12, 2021

✓ ADT
6/9/21

ND = None Detected

If there are any questions with this report, please contact "compliance@anresco.com".

May 12, 2021

ANANDA HEMP

PO BOX 399
 Georgetown, KY - 40324

Order No. 523360
 Sample No. 1082534

SAMPLE INFORMATION

Description BLISS INTIMATE OIL 250 IN 60
Lot Number 21AHSS125
PO# 399
Category (Type) Non-Inhalable Topical (Oil)
Received May 10, 2021

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date May 10, 2021 to May 12, 2021

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.1/1 | ND | 1 | Pass |
| Acetone | 50/150 | ND | 5000 | Pass |
| Acetonitrile | 4/12 | ND | 410 | Pass |
| Benzene | 0.1/1 | ND | 1 | Pass |
| n-Butane | 48/160 | ND | 5000 | Pass |
| Chloroform | 0.1/1 | ND | 1 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 27/80 | ND | 5000 | Pass |
| Ethyl ether | 17/50 | ND | 5000 | Pass |
| Ethylene oxide | 0.5/1 | ND | 1 | Pass |
| n-Heptane | 1/4 | ND | 5000 | Pass |
| n-Hexane | 2/10 | ND | 290 | Pass |
| Isopropyl alcohol | 33/100 | ND | 5000 | Pass |
| Methanol | 50/150 | ND | 3000 | Pass |
| Methylene chloride | 0.5/1 | ND | 1 | Pass |
| n-Pentane | 2/6 | ND | 5000 | Pass |
| Propane | 10/33 | ND | 5000 | Pass |
| Toluene | 10/30 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 30/90 | ND | 2170 | Pass |
| Trichloroethylene | 0.1/1 | ND | 1 | Pass |

✓ ADT
6/19/21

Reported by
Anresco, Inc.

ND = None Detected



Jordean Vargas
 Analyst

May 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".