

BLISS INTIMATE OIL

Batch Specific Information

Product Name	Bliss Intimate Oil	
Product Description	10mg active cannabinoids in 2.2mL sachet	
Lot Number	21AHSS118A	
Expiration Date	03/2023	
Date of Production (Batch Date)	07/20201	
Batch Size:	1000 units	Quantity Produced: 1032 units

Raw Ingredients

Ingredient	Manufacturer	Lot Number
ALMOND OIL	INTEGRITY INGREDIENTS	501407C11420 & 615L1950 & 691C2310
SHEA OIL	AAK	221784
COCONUT OIL	INTEGRITY INGREDIENTS	6517
COCOA SEED BUTTER	INTEGRITY INGREDIENTS	735919
FULL SPECTRUM HEMP EXTRACT	ECOFIBRE	CKS-LEX18-16
PEPPERMINT OIL	J EDWARDS	FL2990
TOCOPHEROL	BASF	0022963929
BLACK PEPPER OIL	INTEGRITY INGREDIENTS	214I9285PW0101029OFX
FRAGRANCE	ORCHIDIA	0245104

Third Party Testing Results

Test	Method	Laboratory	Result
Cannabinoid Profile (Attached)	MF12D012; Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)	Anresco Laboratories	Accepted
Residual Solvent Screen	USP OVI<467>; Instrument: Gas Chromatography Mass Spectrometry (GC/MS)	Anresco Laboratories	Accepted
Pesticide Residue Screen	MF21P030; Instrument: Liquid Chromograph Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)	Anresco Laboratories	Accepted
Heavy Metal Screen	MF 24E020; Instrument: ICP-MS	Anresco Laboratories	Accepted
Microbiological Screen	AOAC 2016.01/FDA BAM/FDA BAM-ECC Agar	Anresco Laboratories	Accepted

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by Ananda Health, Inc.
PO Box 399 Georgetown, KY 40324

May 06, 2021

ANANDA HEMP

PO BOX 399
Georgetown, KY - 40324

Order No. 523067
Sample No. 1081638

SAMPLE INFORMATION

Description AH Bliss Intimacy Oil
Lot Number 21AHSS118
Category (Type) Non-Inhalable Topical (Other)
Received May 03, 2021

ANALYTICAL RESULTS

Analysis Cannabinoid Profile
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF12D012
Analysis Date May 03, 2021 to May 06, 2021

Cannabinoid	mg/g	%	mg/ml
Δ8-THC	ND	ND	ND
Δ9-THC	<LOQ	<LOQ	<LOQ
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	4.42	0.442	4.05
CBDA	ND	ND	ND
CBC	<LOQ	<LOQ	<LOQ
CBCA	ND	ND	ND
CBDV	ND	ND	ND
CBG	ND	ND	ND
CBGA	ND	ND	ND
CBN	ND	ND	ND
Total THC	ND	ND	ND
Total CBD	4.42	0.442	4.05
Total Cannabinoids	4.42	0.442	4.05
Total Active Cannabinoids	4.42	0.442	4.05
g/ml Conversion Factor	0.917		

Reported by
Anresco, Inc.



Eric Tam
Senior Chemist

May 06, 2021

Limit of Detection: 0.067 mg/g
Limit of Quantitation: 0.2 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection

AST
5/14/21

If there are any questions with this report, please contact "compliance@anresco.com".

May 06, 2021

ANANDA HEMP

PO BOX 399


Georgetown, KY - 40324

Order No. 523067
Sample No. 1081638

SAMPLE INFORMATION

Description AH Bliss Intimacy Oil
Lot Number 21AHSS118
Category (Type) Non-Inhalable Topical (Other)
Received May 03, 2021

ANALYTICAL RESULTS

Analysis Heavy Metals  **Pass**
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF 24E020
Analysis Date May 03, 2021 to May 06, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
Senior Chemist

May 06, 2021

✓
ADT
5/14/21

If there are any questions with this report, please contact "compliance@anresco.com".

May 12, 2021

ANANDA HEMP

PO BOX 399

Georgetown, KY - 40324

Order No. 523360
Sample No. 1082534

SAMPLE INFORMATION

Description BLISS INTIMATE OIL 250 IN 60
Lot Number 21AHSS125
PO# 399
Category (Type) Non-Inhalable Topical (Oil)
Received May 10, 2021

ANALYTICAL RESULTS

Analysis Micro Screen - Ananda Hemp
Analysis Date May 10, 2021 to May 12, 2021

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	AOAC 2014.05
Mold	<10	cfu/g	AOAC 2014.05
Coliforms	<10	cfu/g	FDA BAM - ECC Agar
E. coli	<10	cfu/g	FDA BAM - ECC Agar
Enterobacteriaceae	<10	cfu/g	CMMEF
Salmonella	Negative	/1g	AOAC 2016.01

✓ AJT
5/14/21

Reported by
Anresco, Inc.



Allen Zhu
Analyst

May 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com
1375 Van Dyke Ave., San Francisco, CA 94124

Sample #: 1082534
Batch #: 21AHSS125

page 1 of 1

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

May 06, 2021

ANANDA HEMP


PO BOX 399
 Georgetown, KY - 40324

Order No. 523067
 Sample No. 1081638

SAMPLE INFORMATION

Description AH Bliss Intimacy Oil
Lot Number 21AHSS118
Category (Type) Non-Inhalable Topical (Other)
Received May 03, 2021

ANALYTICAL RESULTS

Analysis Pesticide Screen  **Pass**
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date May 03, 2021 to May 06, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.20/0.06	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass

✓ ADT
 5/14/21

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Fludioxanil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.10/0.30	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

✓ A27
5/14/21

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
Senior Chemist

May 06, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com
1375 Van Dyke Ave., San Francisco, CA 94124

Sample #: 1081638
Batch #: 21AHSS118

page 2 of 2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

May 06, 2021


ANANDA HEMP
PO BOX 399
Georgetown, KY - 40324

Order No. 523067
Sample No. 1081638

SAMPLE INFORMATION

Description AH Bliss Intimacy Oil
Lot Number 21AHSS118
Category (Type) Non-Inhalable Topical (Other)
Received May 03, 2021

ANALYTICAL RESULTS

Analysis Mycotoxins  **Pass**
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Analysis Date May 03, 2021 to May 06, 2021

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Reported by
Anresco, Inc.

ND = None Detected



Eric Tam
Senior Chemist

May 06, 2021

✓
A27
5/14/21

If there are any questions with this report, please contact "compliance@anresco.com".

May 05, 2021


ANANDA HEMP
 PO BOX 399
 Georgetown, KY - 40324

Order No. 523067
 Sample No. 1081638

SAMPLE INFORMATION

Description AH Bliss Intimacy Oil
Lot Number 21AHSS118
Category (Type) Non-Inhalable Topical (Other)
Received May 03, 2021

ANALYTICAL RESULTS

Analysis Residual Solvent Screen  **Pass**
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date May 03, 2021 to May 05, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	27/80	ND	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND	2170	Pass
Trichloroethylene	0.1/1	ND	1	Pass

✓ 117
 5/12/21

Reported by
Anresco, Inc.

ND = None Detected




Jordean Vargas
 Analyst

May 05, 2021

If there are any questions with this report, please contact "compliance@anresco.com".