BC FLORA BALANCING GEL

Batch Specific Information

Product Name

Women's Health Flora-Balancing Gel 750mg in 60mL Tube

Product Description

750mg active cannabinoids in 60mL tube

Lot Number Expiration Date F001 01/2024

Ingredient	Manufacturer	Lot Number
AQUA	BRENNTAG & PHARMCO	01906KJMF & C20K130200USPWTR
HYDROXYACETOPHENONE	SYMRISE	1070070
INULIN (AND) ALPHA-GLUCAN OLIGOSACCHARIDE	ULTRA CHEMICAL	200624
ITEX AGNAS-CASTUS EXTRACT (AND) VITEX AGNUS- CASTUS FRUIT EXTRACT (AND) MALTODEXTRIN (AND) WATER	MIBELLE BIOCHEMISTRY	0858-007
CELLULOSE GUM	ASHLAND SPECIALTY INGREDIENTS	77303
PROPANEDIOL	ESSENTIAL INGREDIENTS	LP19J00145 & LP19L00002 & LP20I00123
AQUA (AND) CHONDRUS CRISPUS EXTRACT (AND) SODIUM HYALURONATE	BIOCOGENT	7020371
CANNABIS SATIVA (HEMP) FLOWER EXTRACT	ECOFIBRE	CKS-LEX18-15 & CKS-LEX18-16
LACTIC ACID 88% (AND) AQUA	VIGON INTERNATIONAL INC	0245104 & 2472KA
PFAFFIA GLOMERATA ROOT JUICE (AND) ARGININE PCA (AND) AQUA	SOLABIA	0030132

Test	Method	Laboratory	Result
Cannabinoid Profile (Attached)	MF12D012; Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)	Anresco Laboratories	Accepted
Residual Solvent Screen	USP OVI<467>; Instrument: Gas Chromatography Mass Spectrometry (GC/MS)	Anresco Laboratories	Accepted
Pesticide Residue Screen	MF21P030; Instrument: Liquid Chromograph Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)	Anresco Laboratories	Accepted/
Heavy Metal Screen	MF 24E020; Instrument: ICP-MS	Anresco Laboratories	Accepted
Microbiological Screen	AOAC 2016.01/FDA BAM/FDA BAM-ECC Agar	Anresco Laboratories	Accepted



March 26, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 520964 Sample No. 1075214

SAMPLE INFORMATION

Description

BC Flora Balancing Gel

Lot Number

F001

Category

Non-Inhalable Topical

Received

March 04, 2021

ANALYTICAL RESULTS

Analysis

Cannabinoid Profile Pass

Instrument

Liquid Chromatography Diode Array Detector (LC-DAD)

Method

MF12D012

Analysis Date

March 04, 2021 to March 26, 2021

Cannabinoid	mg/g	%	mg/ml	mg/package	Status ,
∆8-THC	ND	ND	ND	ND ND	-
19-THC	0.34	0.034	0.35	20.77	-
19-THCA	ND	ND	ND	ND	_
THCV	ND	ND	. ND	ND	
ГНСVА	ND	ND	ND	ND	-
CBD	12.24	1.224	12.53	752.03	_
CBDA	ND	ND	ND	ND ·	-
CBC	0.51	0.051	0.53	31.58	
CBCA	ND	ND	ND	ND	
CBDV	ND	ND	ND	· ND	_
CBG	<loq< td=""><td><loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>-</td></loq<></td></loq<>	<loq< td=""><td>-</td></loq<>	-
CBGA	ND	ND	ND	ND	
CBN	ND .	ND	· ND	ND '	
Total THC	0.34	0.034	0.35	20.77	Pass
Fotal CBD	12.24	1.224	12.53	752.03	
otal Cannabinoids	13.09	1.309	13.41	804.37	
otal Active Cannabinoids	13.09	1.309	13.41	804.37	-

g/mi Conversion Factor 1.024

Reported by **Anresco, Inc.**

Eric Tam Senior Chemist

March 26, 2021

Limit of Detection: 0.067 mg/g Limit of Quantitation: 0.2 mg/g

ND = None Detected

<LOQ = Below Limit of Quantitation <LOD = Below Limit of Detection



March 08, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 520964

Sample No. 1075214.

SAMPLE INFORMATION

Description

BC Flora Balancing Gel

Lot Number

F001

Category

Non-Inhalable Topical

Received

March 04, 2021

ANALYTICAL RESULTS

Analysis

Heavy Metals

Instrument

Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Method

MF 24E020

Analysis Date

March 04, 2021 to March 08, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND.	1.5	Pass
Cadmium	0.02/0.05	ND .	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by

Anresco, Inc.

ND = None Detected

Eric Tam Senior Chemist

March 08, 2021



March 08, 2021

Order No. 520964

Sample No. 1075214

PO BOX 399

Georgetown, KY - 40324

SAMPLE INFORMATION

Description

BC Flora Balancing Gel

Lot Number

F001

Category No

Non-Inhalable Topical

Received

March 04, 2021

ANALYTICAL RESULTS

Analysis Analysis Date Micro Screen - Ananda Hemp

March 04, 2021 to March 08, 2021

Analyte	Findings	Units	Method
Standard Plate Count	<10	cfu/g	FDA BAM
Yeast	<10	cfu/g	AOAC 2014.05
Mold	<10	cfu/g	AOAC 2014.05
Coliforms	<10	cfu/g	FDA BAM - ECC Agar
E. coli	<10	cfu/g	FDA BAM - ECC Agar
Enterobacteriaceae	<10	cfu/g	AOAC 2003.01
Salmonella	Negative	/1g	AOAC 2016.01

Reported by **Anresco, Inc.**



March 08, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

page 1 of 1



March 08, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 520964 Sample No. 1075214

SAMPLE INFORMATION

Description

BC Flora Balancing Gel

Lot Number

F001

Category

Non-Inhalable Topical

Received

March 04, 2021

ANALYTICAL RESULTS

Analysis

Pesticides Screen ® Pass

Instrument

Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem

Mass Spectrometry (GC-MS/MS)

Method

MF 21P030

Analysis Date

March 04, 2021 to March 08, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ŅD	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND .	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorvous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND .	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND .	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND .	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND ·	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave,. San Francisco, CA 94124 Sample #: 1075214 Batch #: F001 page 1 of 3



			1		
Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status	
Fludioxanil	0.04/0.10	ND	30.0	Pass	
Hexythiazox	0.04/0.10	\ ND	2.0	Pass	
lmazalil	0.04/0.10	ND	0.04	Pass	
Imidacloprid	0.04/0.10	. ND	3.0	Pass	
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass	
Malathion	0.20/0.50	ND	5.0	Pass	
Metalaxyl	0.04/0.10	ND	15.0	Pass	
Methiocarb	0.04/0.10	ND ·	0.04	Pass	
Methomyl	0.04/0.10	ND	0.1	Pass	
Methyl parathion	0.04/0.10	ND	0.04	Pass	
Mevinphos	0.04/0.10	ND:	0.04	Pass	
Myclobutanil	0.04/0.10	ND	9.0	Pass	
Naled	0.04/0.10	ND	0.5	Pass	
Oxamyl	0.04/0.10	ND	0.2	Pass	
Paclobutrazol	0.04/0.10	ND	0.04	Pass	
Pentachloronitrobenzene	0.04/0.10	ND	0.2	·Pass	
Permethrins	0.20/0.50	ND .	20.0	Pass	
Phosmet	0.04/0.10	ND	0.2	Pass	
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass	
Prallethrin	0.04/0.10	ND	0.4	Pass	
Propiconazole	0.04/0.10	ND	20.0	Pass	
Propoxur	0.04/0.10	ND	0.04	Pass	
Pyrethrins	0.20/0.50	ND	. 1.0	Pass	
Pyridaben	0.04/0.10	ND .	3.0	Pass	
Spinetoram	0.04/0.10	ND ,	3.0	Pass	
Spinosad	0.04/0.10	ND	3.0	Pass	
Spiromesifen	0.04/0.10	ND	12.0	Pass	
Spirotetramat	0.04/0.10	ND	13.0	Pass	
Spiroxamine	0.04/0.10	ND	0.04	Pass	
Tebuconazole	0.04/0.10	ND	2.0	Pass	
Thiaclorprid	0.04/0.10	ND	0.04	Pàss	
Thiamethoxam	0.35/1.00 ·	ŅD	4.5	Pass	
Trifloxystrobin	0.04/0.10	ND	30.0	Pass	

Reported by **Anresco, Inc.**

ND = None Detected

Eric Tam Senior Chemist

March 08, 2021



ANALYTICAL RESULTS

Analysis

Mycotoxins Screen Pass

Instrument

Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem

Mass Spectrometry (GC-MS/MS)

Method

MF 21P030

Analysis Date

March 04, 2021 to March 08, 2021

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	1/5	ND	-	
Afalatoxin B2	1/5	ND	-	-
Aflatoxin G1	1/5	ND	-	THE RESERVE TO THE PROPERTY OF
Aflatoxin G2	1/5	ND	•	
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND ·	20	Pass

Reported by

Anresco, Inc.

ND = None Detected

Eric Tam Senior Chemist

March 08, 2021



March 08, 2021

PO BOX 399

Georgetown, KY - 40324

Order No. 520964

Sample No. 1075214

SAMPLE INFORMATION

Description

BC Flora Balancing Gel

Lot Number

Category

Non-Inhalable Topical

Received

March 04, 2021

ANALYTICAL RESULTS

Analysis

Residual Solvent Screen Ø Pass

Instrument

Gas Chromatography Mass Spectrometry (GC/MS)

Method

Analysis Date

March 04, 2021 to March 08, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass .
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	67/200	ND _ '	5000	Pass
Ethyl acetate	27/80	ND ,	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	33/100	BLOQ	5000	Pass
Methanol,	50/150	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	. 2/6	ND	5000	Pass
Propane	10/33	ND ·	5000	Pass
Toluene	10/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	30/90	ND .	2170	Pass
Trichloroethylene	0.1/1	ND	1	Pass

Reported by Anresco, Inc. ND = None Detected

Analyst

March 08, 2021