

Prepared for:

COLORADO HEMP HONEY

PO BOX 4322

PARKER, CO USA 80134

Raw Relief


Batch ID or Lot Number: 1370	Test: Potency	Reported: 16Jun2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000246441	Started: 15Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Jun2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.002	0.006	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.002	0.005	ND	ND	
Cannabidiol (CBD)	0.007	0.016	0.070	0.70	
Cannabidiolic Acid (CBDA)	0.007	0.016	ND	ND	
Cannabidivarin (CBDV)	0.002	0.004	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.003	0.007	ND	ND	
Cannabigerol (CBG)	0.001	0.003	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.004	0.014	ND	ND	
Cannabinol (CBN)	0.001	0.004	ND	ND	
Cannabinolic Acid (CBNA)	0.003	0.009	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.005	0.016	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.005	0.015	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.004	0.013	ND	ND	
Tetrahydrocannabivarin (THCV)	0.001	0.003	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.004	0.012	ND	ND	
Total Cannabinoids			0.070	0.70	
Total Potential THC			ND	ND	
Total Potential CBD			0.070	0.70	

Final ApprovalKaren Winternheimer
16Jun2023
04:07:00 PM MDT

PREPARED BY / DATE

Sam Smith
16Jun2023
04:08:00 PM MDT

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/f8225b2b-7657-4b88-9d56-56aed4d20d45>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

f8225b2b76574b889d5656aed4d20d45.1