

540 E Vilas Rd Suite F Central Point, OR, 97502, US (541) 668-7444

### Kaycha Labs

Pages 1 of 2


CBD Oral Sublingual Drops Spearmint Matrix: Infused Product Type: Ingestible



# **Certificate of Analysis**

Sample:CE30518001-001 Harvest/Lot ID: C073GL-OOF Batch#: RDC-239021 Harvest/Batch Date: 05/17/23 Sample Size Received: 15 gram Total Amount: 43440 gram Retail Product Size: 15 gram Ordered: 05/18/23 Sampled: 05/18/23 Completed: 05/23/23 Sampling Method: SOP.T.20.010.OR; ORELAP SOP-001 & -002; or Client Sampled

May 23, 2023 | Indomira/Green Earth Medicinals License # AG-R1084850IHH



Earth

"Total THC" and "Total CBD" are calculated values and are an Oregon reporting requirement (OAR 333-064-0100). For Cannabinoid analysis, only delta-9-THC, delta-8-THC, THCA, CBD, CBDA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are dry weight corrected; Instrument LOQ for all cannabinoids is 0.5 ug/mL, LOQ is reported 'In matrix' and dependent on extraction parameters. FD = Field Duplicate; LOQ = Limit of Quantitation, ND= Not Detected

# Cannabinoid Potency Duplicate/Replicate Data:PrimaryFieldTotal CBD (mg/g):21.447TotalTotal THC (mg/g):0.563TotalDelta-8 THC (mg/g)<LOQ</td>Delta

Field Duplicate	
Total CBD (mg/g):	21.279
Total THC (mg/g):	0.565
Delta-8 THC(mg/g)	<loq< td=""></loq<>

COMPLIAN	CE POTEN	CY DATA		
Mean Total CBD (mg/g):	21.36	RPD %	0.20	PASS
Mean Total THC (mg/g):	0.56	RPD %	0.35	PASS
Mean Delta-8 THC (mg/g):	<loq< td=""><td>RPD %</td><td>0.00</td><td>PASS</td></loq<>	RPD %	0.00	PASS

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. Laboratory reports are for informational use only, unless indicated otherwise. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

### Stephanie Moon

State License # 010-10166277B9D ISO 17025 Accreditation # 99861



Signature 05/23/23



540 E Vilas Rd Suite F Central Point, OR, 97502, US (541) 668-7444 CBD Oral Sublingual Drops Spearmint N/A Matrix : Infused Product



Type: Ingestible

**POTENCY BATCH QC REPORT** 

Page 2 of 2

### METHOD BLANK

Cannabinoid	LOQ	Result	Units	
CBDV	0.05	<loq< th=""><th>%</th><th></th></loq<>	%	
CBG	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
CBD	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
CBDA	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
THCV	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
CBGA	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
CBN	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
D9-THC	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
D8-THC	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
CBC	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
THCA	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	
CBCA	0.05	<loq< td=""><td>%</td><td></td></loq<>	%	

Sample Id - MB.CE002635POT Analytical Batch - CE002635POT Instrument Used : HPLC 2030 EID 0055

្ព័ LCS	$\square$			
Cannabinoid	LOQ	Recovery	Units	Recovery Limits
CBG	0.05	101.8	%	85-115
CBD	0.05	98	%	90-110
CBDA	0.05	97.8	%	90-110
CBGA	0.05	100.8	%	85-115
CBN	0.05	100.1	%	85-115
D9-THC	0.05	98.8	%	90-110

%

107.4

101.5

95.2

Sample Id - LCS.CE002635POT Analytical Batch - CE002635POT Instrument Used : HPLC 2030 EID 0055

D8-THC

СВС

THCA

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. Laboratory reports are for informational use only, unless indicated otherwise. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on OAR 333-007, OAR 845-025.

0.05

0.05

0.05

## Stephanie Moon

State License # 010-10166277B9D ISO 17025 Accreditation # 99861

Srpp

Signature 05/23/23

90-110

85-115

90-110

## **KML Laboratories, Inc.**



261 Great Northern Road **Bonners Ferry, Idaho 83805** Phone: 208-267-0818 Fax: 208-267-0878 Email: Info@kmlmicro.com

### **Certificate of Analysis**

Green Earth Medicinals 2305 Ashland St. Suite C360 Ashland, OR 97520 Phone: 888-620-1110 Fax:

Invoice Number: 23.0677 PO Number: 051823 Received Date: 05/22/2023 Number of Samples: 01 Project Name: Routine Testing

### **Microbiology Report:**

Lab #: 23-4183			Sample Lot: RDC-23	39021	Sample Date: 05/17/2023	
Sample Name: CBD Oral Sublingual Drops Spearmint			Additional ID:		Plated Date: 05/22/2023	
Qualifying Material Num	Qualifying Material Number: No QM			>		
Test Performed	Results	Units	Detection Limit	Method	Date Analyzed	
Aerobic Plate Count	<10	cfu/ml	10	USP 43-NF 38 <	<2021> 05/25/2023	
Coliforms ‡	<10	cfu/ml	10	02-228	05/23/2023	
E. coli	absent	P/A	1	USP 43-NF 38 <	<2022> 05/25/2023	
Staph aureus	absent	P/A	1	USP 43-NF 38 <	<2022> 05/25/2023	
Yeast	<10	cfu/ml	10	USP 43-NF 38 <	<2021> 05/27/2023	
Mold	<10	cfu/ml	10	USP 43-NF 38 <	<2021> 05/27/2023	
Salmonella	absent	P/A	1	USP 43-NF 38 <	<2022> 05/26/2023	
Pseudo. aeruginosa	absent	P/A	1	USP 43-NF 38 <	m62> 05/25/2023	
		100				

# Bowering Companies with Approved By: QA Director SMV 05/30/2023



### Confidential

Malter

Page 1 of 2

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc. This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

Note: On this date, this material met the specifications designated above, and is not known if statistically representative of the lot evaluated on a routine basis. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit

## **KML Laboratories, Inc.**



261 Great Northern Road **Bonners Ferry, Idaho 83805** Phone: 208-267-0818 Fax: 208-267-0878 Email: Info@kmlmicro.com

### **Certificate of Analysis**

Green Earth Medicinals 2305 Ashland St. Suite C360 Ashland, OR 97520 Phone: 888-620-1110 Fax:

Invoice Number: 23.0677 PO Number: 051823 Received Date: 05/22/2023 Number of Samples: 01 Project Name: Routine Testing

### **Microbiology Report:**

Lab #: Control 05222023	Additional ID: Negative Control Purposes	Plated Date: 05/22/2023
Sample Name: Control 05222023		
Qualifying Material Number: QM-06-001		

Test Performed	Results	Units	Detection Limit	Method Date Analyzed	t
				T I	
Aerobic Plate Count	nd	cfu/ml	10	USP 43-NF 38 <2021> 05/25/2023	
Coliforms ‡	nd	cfu/ml	10	02-228 05/23/2023	
E. coli	absent	P/A	1	USP 43-NF 38 <2022> 05/25/2023	
Staph aureus	absent	P/A	1	USP 43-NF 38 <2022> 05/25/2023	
Yeast	nd	cfu/ml	10	USP 43-NF 38 <2021> 05/27/2023	
Mold	nd	cfu/ml	10	USP 43-NF 38 <2021> 05/27/2023	
Salmonella	absent	P/A	1	USP 43-NF 38 <2022> 05/26/2023	
Pseudo. aeruginosa	absent	P/A	1	USP 43-NF 38 <m62> 05/25/2023</m62>	

# on oring Companies with Approved By: QA Director SMV 05/30/202

# AT-1805

### Confidential

Malter

Page 2 of 2

This Certificate/Report shall not be reproduced, except in full, without the prior written consent of KML Laboratories, Inc. This report may include work not covered by KML's current ISO accreditation as indicated by ‡.

Note: On this date, this material met the specifications designated above, and is not known if statistically representative of the lot evaluated on a routine basis. This information is not intended to relieve the purchaser from its responsibility to determine the suitability of this material for purchaser's purposes, to comply with all laws and regulations regarding the safe use of this material. nd = none detected above the listed detection limit